Version: Mar. 2021

## Prescott Industries

## WOOD VENEER DOOR CONSTRUCTION SPECS

Prescott Industries 5-Ply Premium Flush Door Construction: All Prescott Industries Premium Architectural Doors Type PC-5/FD-3 meet or exceed standards set forth by WDMA I.S.1-A and the AWI for PC-5 as tested per A.S.T.M. E-152 by Warnock Hersey International.

Top and Bottom Rails: 1-3/8" Thick SCL (Stranded Composite Lumber)

Core Type:
Particle Board meets or exceeds ANSI A208.1
for physical/mechanical properties
For environmental properties meets or exceeds
EPPS CPA-3-08 (100% Recycled Fiber)

Crossband: 1/10" High Density Fiber Crossband

Stiles: Hard wood over Stranded Composite Lumber (SCL) Backer for stained edges 1-3/8" thick = 7/8" Solid Maple + 1/2" SCL before pre-fit

Faces: White Maple, Red Oak, Birch, and more. Premium, Grade A wood for wood face.

Adhesives: Meet requirements of WDMA I.S.1A, C-6

Door Thickness: 1-3/4"

Maximum Size: 4' x 9'

Warranty: Premium Architectural Doors (Lifetime Warranty)
Note: Interior use only. (Exterior use applications not warranted.)

